




Tecnica autoptica e cenni di anatomia normale


CANDOTTI DR. PAOLO


DR. CANDOTTI PAOLO




DR. CANDOTTI PAOLO







DR. CANDOTTI PAOLO



DR. CANDOTTI PAOLO



DR. CANDOTTI PAOLO




DR. CANDOTTI PAOLO





DR. CANDOTTI PAOLO

DR. CANDOTTI PAOLO






DR. CANDOTTI PAOLO




DR. CANDOTTI PAOLO

DR. CANDOTTI PAOLO










DR. CANDOTTI PAOLO

↑
Testa del
pancreas








Surrene

Rene


DR. CANDOTTI PAOLO




This is an intraoperative photograph showing a surgical dissection of the iliac lymph node region. A large, pale, rounded lymph node is the central focus, outlined with a black line. It is surrounded by a network of blood vessels and connective tissue. A surgical instrument, likely a scalpel, is visible on the left side of the node. The surrounding tissue is moist and shows some blood. A blue surgical glove is visible on the left edge of the frame. The overall scene is brightly lit, typical of a surgical environment.

Linfonodi iliaci

DR. CANDOTTI PAOLO





DR. CANDOTTI PAOLO



DR. CANDOTTI PAOLO

Linfonodi
renali





DR. CANDOTTI PAOLO

This is a clinical photograph of a surgical dissection in the retroperitoneal region. The image shows the renal hilum area with the renal vessels and surrounding lymphatic tissue. Two lymph nodes are specifically highlighted with black lines pointing to them from a label box. The lymph nodes appear as pale, rounded structures. The surrounding tissue is a mix of white adipose tissue and pinkish-red connective tissue. At the top of the image, there are blue surgical drapes. The text 'DR. CANDOTTI PAOLO' is overlaid in the center of the image.

Linfonodi
renali